Optimal location range for heat pump

On the external ABS cover of the pool, the heat pump and/or external machine room outlet are not pre-drilled. The holes are designed for the actual external unit attachment must be drilled in the position corresponding to the unit attachment.



This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 TG6	Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.	
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:		
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt		
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054		
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4	M 1:100	page 8 / 14

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Optimum water level and water level dimensions



This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 TG6	Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.	
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:		
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt		
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054		
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4	M 1:100	page 9 / 14

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Swim spa cover

Standard equipment 5 mm ABS cover all round (side-down)



Scandinavian insulation (optional)

Freestanding placement

If you do not want the recessed design, the product is equipped with a 5 mm ABS cover, which is optionally with Scandinavian insulation. The cover cannot be attached to the swim spa, but can be wrapped around with any other external cover.



Swim spa insulation (optional) layering



Below the swim spa edge



This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 TG6
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:	
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt	
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4	M 1:100 page 10 / 14

Wellis Magyarország Zrt.

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Swim spa cover Semicabinet

Semicabinet with Horizont cover

Freestanding placement

The cover cannot be attached to the swim spa,
but can be wrapped around with any other external cover.





This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club					Rev: A	Projection	Tolerance DIN ISO 16742 TG6
Created: 2025. 03. 14.	Material:		Weight:			M: mm/g/s	Módosítva: 2025. 04. 15.
Drawer: Sipos Lajos	DOCUMENT HISTORY					Status:	
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.		DABAS-Módosítás alatt	
Approved by:	A	2025. 03. 18.	Új rajz	S.L.		Art. No.: WU00053 WU00054	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name		A4	M 1:100 page 11 / 14

Wellis Magyarország Zrt.

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Craning the swim spa



When craning the swim spa, the length of the strap
should be chosen so that the strap under the flange
the flange cannot be touched in the event of a the strap. Otherwise the pool
damage to the swim spa.

Lifting the pool is only **certified,**
lifting frame of adequate lifting capacity or lifting beams which prevent movement of the straps.

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 TG6
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:	
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt	
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4	M 1:100 page 12 / 14

Wellis Magyarország Zrt.

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Machine shaft location (sold separately)

Machine shaft (accessories and machine housing can be purchased separately):

1. WE00219 Mechanical shaft for pool
2. ABE0114 Sand filter tank S650
3. ABE 0130 Sand filter tank S450
4. ACM0707 Chemical dispenser - CL with probe



Optimal location range for a machine shaft



Only the ABE0130 Sand Filter Tank S450 size can be placed in the pool's own machine shaft.



On the external ABS cover of the pool, the heat pump and/or external machine room outlet are not pre-drilled. The holes are designed for the actual external unit attachment must be drilled in the position corresponding to the unit attachment.

Only the ABE0130 Sand filter tank size S450 can be installed in the pool's own machine shaft. **It is forbidden to place a chemical dispenser in the pool's own machine shaft!**
ABE0114 Sand filter tank size S650 and ACM0707 Chemical dispenser (or any other chemical dispenser purchased from Wellis) may only be placed in a separate machine shaft from the pool.

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 TG6	Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.	
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:		
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt		
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054		
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4	M 1:20	page 13 / 14

Ez a dokumentum a WU00053 Beach Club Deluxe és WU00054 Beach Club Prémium medencékre vonatkozik.

Last modified version: xx Last modified by: xxxxxxx xxxxx Last modified date: xxxx.xx.xx.

Swim spa cover information



Swim Spa Safety Warning!
WARNING: DO NOT STEP OR SIT ON THE SWIM SPA COVER
This cover is designed exclusively for insulation and heat retention—it does NOT support weight.
🚫Never allow children or pets to climb, sit, or walk on the cover.
🚫The cover is not a safety barrier—it will not prevent accidental entry into the water.
🚫Do not place heavy objects on the cover to avoid damage or collapse.
For safety:
✓Always supervise children around the swim spa.
✓Keep the cover securely fastened when not in use.
✓Use approved safety measures like a locking cover or additional barriers.
Failure to follow these safety precautions may result in injury or damage to the cover.
Always cover the back of the pool when in use.
The pool without water should not be exposed to direct direct sunlight.
Stay safe and enjoy your Wellis Swim Spa responsibly!

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Description: Information Beach Club				Rev: A	Projection / Tolerance DIN ISO 16742 TG6
Created: 2025. 03. 14.	Material:		Weight:		M: mm/g/s / Módosítva: 2025. 04. 15.
Drawer: Sipos Lajos	DOCUMENT HISTORY				Status:
Checked by:	B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt
Approved by:	A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap	Rev	Date	Change descr.	Name	A4 / M 1:100 / page 14 / 14

Wellis Magyarország Zrt.

Last modified version: xx | Last modified by: xxxxxxx xxxxx | Last modified date: xxxx.xx.xx.